

Fig. 1
prior Art





Fig.3 Beacon device

[illegible]

Mobile STATION

FIG. 4




FIG. 5

The User Screen

Example scenario: A movie theatre. When the user approaches the cinema, he or she enters the local cinema beacon range. The services offered by the beacon become available




FIG. 6A

The User Screen

Example scenario: A movie theatre. When the user approaches the cinema, he or she enters the local cinema beacon range. The services offered by the beacon become available




FIG. 6A

Browse context

User selects browse context
And can now browse the
downloaded data.
This example shows the data
as a list.





FIG. 6B




FIG. 7

```

graph TD
    8.1[Select Services Access Key on MS] --> 8.2{Is MS Within Beacon Range?}
    8.2 -- No --> 8.4[Enter Remote Server Mode]
    8.2 -- Yes --> 8.3[Go To Step 7.3]
    8.4 --> 8.5{Accept Remote Server Mode?}
    8.5 -- No --> End([End])
    8.5 -- Yes --> 8.6[Contact Remote Server  
(e.g., GSM, SMS, GPRS, HSCSD)]
    8.6 --> 8.7[Obtain List of Service Categories]
    8.7 --> 8.8[Select Desired Category From List]
    8.8 --> 8.9[Receive Information on Selected Category  
Based on Approximate MS Location]
  
```

FIG. 8